Table 10

Analysis on Effect of One Embryo Transferred (Fresh/Frozen Cycle) on Live Birth Rate and Multiple Pregnancy Rate in IVF and IVF + ICSI cycles in 2011

 $(Based\ on\ the\ information\ on\ Data\ Collection\ Forms\ received\ from\ licensed\ centre\ up\ to\ 31\ December\ 2011)$

| Age | No. of Patients | Treatment Cycles | Ongoing Pregnancy | Ongoing Pregnancy Rate | Live Births | Live Birth Rate | Ongoing Multiple Pregnancy | Ongoing Multiple Pregnancy Rate | Multiple Births | Mulitple Live Birth Rate | Twin Live Births | Twin Live Birth Rate | Triple and Above Live Births | Triple and Above Live Birth Rate | No. of Babies |
|--------------|--------------------|---------------------|----------------------|---------------------------|-------------|-----------------|-------------------------------|------------------------------------|-----------------|-----------------------------|---------------------|-------------------------|---------------------------------|-------------------------------------|---------------|
| 18-20 | 1 4440113 | Cycles | 1 regiminey | 100.0% | 0 | 0.00/ | 1 regiminey | Tregnancy Rate | NT/A | | DIT CIES | NI/A | EIVE BITTIS | | 0 |
| 18-20 | 1 | 1 | 1 | 100.0% | 0 | 0.0% | IN/A | IN/A | N/A | N/A | N/A | IN/A | N/A | N/A | U |
| 21-25 | 7 | 7 | 4 | 57.1% | 3 | 42.9% | 1 | 14.3% | 0 | 0.0% | N/A | N/A | N/A | N/A | 3 |
| 26-30 | 79 | 82 | 23 | 28.0% | 21 | 25.6% | 0 | 0.0% | N/A | N/A | N/A | N/A | N/A | N/A | 21 |
| 31-35 | 299 | 315 | 90 | 28.6% | 74 | 23.5% | 3 | 1.0% | 2 | 0.6% | 2 | 0.6% | 0 | 0.0% | 76 |
| 36-40 | 371 | 409 | 73 | 17.8% | 60 | 14.7% | 2 | 0.5% | 2 | 0.5% | 2 | 0.5% | 0 | 0.0% | 62 |
| 41-45 | 154 | 170 | 15 | 8.8% | 11 | 6.5% | 0 | 0.0% | N/A | N/A | N/A | N/A | N/A | N/A | 11 |
| 46-50 | 19 | 23 | 0 | 0.0% | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 51-55 | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 56 and above | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| Total: | 930 | 1007 | 206 | 20.5% | 169 | 16.8% | 6 | 0.6% | 4 | 0.4% | 4 | 0.4% | 0 | 0.0% | 173 |

Analysis on Effect of Two Embryos Transferred (Fresh/Frozen Cycle) on Live Birth Rate and Multiple Pregnancy Rate in IVF and IVF + ICSI cycles in 2011

(Based on the information on Data Collection Forms received from licensed centre up to 31 December 2011)

| Age | No. of Patients | Treatment Cycles | Ongoing Pregnancy | Ongoing Pregnancy Rate | Live Births | Live Birth Rate | Ongoing Multiple Pregnancy | Ongoing Multiple Pregnancy Rate | Multiple Births | Mulitple Live Birth Rate | Twin Live Births | Twin Live Birth Rate | Triple and Above Live Births | Triple and Above Live Birth Rate | No. of Babies |
|--------------|--------------------|---------------------|----------------------|---------------------------|-------------|-----------------|-------------------------------|------------------------------------|-----------------|-----------------------------|---------------------|-------------------------|---------------------------------|-------------------------------------|---------------|
| 18-20 | 1 | 1 | 1 | 100.0% | 1 | 100.0% | 0 | 0.0% | N/A | N/A | N/A | N/A | N/A | N/A | 1 |
| 21-25 | 22 | 32 | 14 | 43.8% | 11 | 34.4% | 2 | 6.3% | 2 | 6.3% | 2 | 6.3% | 0 | 0.0% | 13 |
| 26-30 | 287 | 322 | 145 | 45.0% | 125 | 38.8% | 45 | 14.0% | 39 | 12.1% | 38 | 11.8% | 1 | 0.3% | 165 |
| 31-35 | 1076 | 1312 | 507 | 38.6% | 448 | 34.1% | 125 | 9.5% | 102 | 7.8% | 100 | 7.6% | 2 | 0.2% | 552 |
| 36-40 | 1386 | 1692 | 478 | 28.3% | 384 | 22.7% | 95 | 5.6% | 64 | 3.8% | 63 | 3.7% | 1 | 0.1% | 449 |
| 41-45 | 426 | 533 | 61 | 11.4% | 40 | 7.5% | 4 | 0.8% | 2 | 0.4% | 2 | 0.4% | 0 | 0.0% | 42 |
| 46-50 | 26 | 31 | 5 | 16.1% | 2 | 6.5% | 0 | 0.0% | N/A | N/A | N/A | N/A | N/A | N/A | 2 |
| 51-55 | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 56 and above | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| Total: | 3224 | 3923 | 1211 | 30.9% | 1011 | 25.8% | 271 | 6.9% | 209 | 5.3% | 205 | 5.2% | 4 | 0.1% | 1224 |

Analysis on Effect of Three Embryos Transferred (Fresh/Frozen Cycle) on Live Birth Rate and Multiple Pregnancy Rate in IVF and IVF + ICSI cycles in 2011

(Based on the information on Data Collection Forms received from licensed centre up to 31 December 2011)

| Age | No. of Patients | Treatment Cycles | Ongoing Pregnancy | Ongoing Pregnancy Rate | Live Births | Live Birth Rate | Ongoing Multiple Pregnancy | Ongoing Multiple Pregnancy Rate | Multiple Births | Mulitple Live Birth Rate | Twin Live Births | Twin Live Birth Rate | Triple and Above Live Births | Triple and Above Live Birth Rate | No. of Babies |
|--------------|--------------------|---------------------|----------------------|---------------------------|-------------|-----------------|-------------------------------|------------------------------------|-----------------|-----------------------------|---------------------|-------------------------|---------------------------------|-------------------------------------|---------------|
| 18-20 | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 21-25 | 3 | 3 | 1 | 33.3% | 0 | 0.0% | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 26-30 | 53 | 68 | 29 | 42.6% | 24 | 35.3% | 11 | 16.2% | 11 | 16.2% | 10 | 14.7% | 1 | 1.5% | 36 |
| 31-35 | 281 | 342 | 120 | 35.1% | 102 | 29.8% | 33 | 9.6% | 28 | 8.2% | 28 | 8.2% | 0 | 0.0% | 130 |
| 36-40 | 741 | 910 | 250 | 27.5% | 200 | 22.0% | 59 | 6.5% | 44 | 4.8% | 43 | 4.7% | 1 | 0.1% | 245 |
| 41-45 | 366 | 470 | 59 | 12.6% | 34 | 7.2% | 7 | 1.5% | 5 | 1.1% | 5 | 1.1% | 0 | 0.0% | 39 |
| 46-50 | 23 | 25 | 1 | 4.0% | 1 | 4.0% | 1 | 4.0% | 1 | 4.0% | 1 | 4.0% | 0 | 0.0% | 2 |
| 51-55 | 1 | 1 | 0 | 0.0% | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 56 and above | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| Total: | 1468 | 1819 | 460 | 25.3% | 361 | 19.8% | 111 | 6.1% | 89 | 4.9% | 87 | 4.8% | 2 | 0.1% | 452 |

Analysis on Effect of Four or More Embryos Transferred (Fresh/Frozen Cycle) on Live Birth Rate and Multiple Pregnancy Rate in IVF and IVF + ICSI cycles in 2011

 $(Based\ on\ the\ information\ on\ Data\ Collection\ Forms\ received\ from\ licensed\ centre\ up\ to\ 31\ December\ 2011)$

| Age | No. of Patients | Treatment Cycles | Ongoing Pregnancy | Ongoing Pregnancy Rate | Live Births | Live Birth Rate | Ongoing Multiple Pregnancy | Ongoing Multiple Pregnancy Rate | Multiple Births | Mulitple Live Birth Rate | Twin Live Births | Twin Live Birth Rate | Triple and Above Live Births | Triple and Above Live Birth Rate | No. of Babies |
|--------------|--------------------|---------------------|----------------------|---------------------------|-------------|-----------------|-------------------------------|------------------------------------|-----------------|-----------------------------|---------------------|-------------------------|---------------------------------|-------------------------------------|---------------|
| 18-20 | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 21-25 | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 26-30 | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 31-35 | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 36-40 | 61 | 84 | 22 | 26.2% | 14 | 16.7% | 4 | 4.8% | 4 | 4.8% | 4 | 4.8% | 0 | 0.0% | 18 |
| 41-45 | 79 | 120 | 20 | 16.7% | 15 | 12.5% | 3 | 2.5% | 1 | 0.8% | 1 | 0.8% | 0 | 0.0% | 16 |
| 46-50 | 8 | 10 | 0 | 0.0% | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 51-55 | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| 56 and above | 0 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 0 |
| Total: | 148 | 214 | 42 | 19.6% | 29 | 13.6% | 7 | 3.3% | 5 | 2.3% | 5 | 2.3% | 0 | 0.0% | 34 |

Remarks:

(1) Cases reported include all cycles of IVF, IVF+ICSI and Frozen-thawed ET.

(2) The age of wife has been used in calculating the age of patient.